On page 9, line 17, insert a comma after "including";

On page 10, line 5, after "apparatus" insert --of--;

On page 10, line 6, change "operative" to --operatively--;

On page 11, line 22, delete the comma after "dimensions";

On page 11, line 29, change the comma after "action" to a semicolon and insert a comma after "thus";

On page 12, line 4, after "sample" insert --70--;

On page 12, line 6, change "a sample" to --sample 70--;

On page 12, line 9, change "the sample" to --sample 70--;

On page 12, line 10-11, change "a sample" to --sample 70--;

On page 12, line 20, change "the sample" to --sample 70--;

On page 12, line 23, change "a sample" to --sample 70--;

On page 12, line 26, delete the comma after "80";

On page 12, line 27, change "the sample" to --sample 70--;

On page 12, line 29, after "apparatus" and before the period, insert --10--;

On page 13, line 9, after "element" insert --11--;

On page 14, line 3, after "column" and before the period, insert --and to facilitate movement of a sample 70' along each column 14'--;

On page 14, line 10, change "the sample" to --sample 70--;

On page 14, line 11, change "14" to --14'--;

On page 14, line 12, after "column" and before the comma, insert --14'--;

On page 14, line 18, between "sample" (first occurrence) and the period, insert --70"--;

On page 14, line 18, change "a sample" (second occurrence) to --sample 70--;

On page 14, line 21, change "the sample" to --sample 70"--;

On page 14, line 23, change "a sample" to --sample 70"--;

On page 14, line 26, change "the sample" to --sample 70"--;

On page 14, line 28, change "a sample" to --sample 70"--;

On page 15, line 4, after "column" and before the period, insert --14"--;

On page 15, line 8, change "the sample constituents" to --the constituents of sample 70"--;

On page 15, line 8, change "14" to --14"--;

On page 15, line 18, change "configuration and size" to --configurations and sizes--;

On page 15, line 25, change "110" (both occurrences) to --100--;

On page 16, line 1, change "110" to --100--;

On page 16, line 4, delete the comma after "114";

On page 16, line 20, after "substrate" delete the comma and insert --12--;

On page 16, line 29, delete the comma after "dopant";

On page 18, line 3, after "substrate" insert --12--;

On page 18, line 10, insert a comma after "by" (second occurrence);

On page 18, line 11, insert a comma after "including";

On page 19, line 10, delete the comma after "sites";

On page 19, line 15, change "channel" to --column--;

On page 19, line 22, change "281" to --218--;

On page 19, line 24, after "32" and "34" insert --(FIG. 3)--;

On page 20, line 4, after "14a" insert --of--;

On page 20, line 5, at the beginning of the line, delete "of";

On page 20, line 5, after "sample" insert --70--;

On page 20, line 7, after "sample" insert --70--;

On page 20, line 8, change "the sample" to --sample 70--;

On page 20, line 9, change "the sample" to --sample 70--;

On page 20, line 9, change "are" to --is--;

On page 20, line 10, change "the sample" to --sample 70--;

On page 20, line 11, change "the sample" to --sample 70--;

On page 20, line 18, after "HPLC" change "are" to --is--;

On page 20, line 28, delete the comma after "charge";

On page 21, line 15, delete "66";